Perfor	mer: (unı	named) Symbol: C Label: 4 ID:26	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 1: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
29	16	Side 2: 0.25 steps outside 45 yd In	1.5 steps behind Front side line
30	8	Side 2: 0.25 steps outside 45 yd In	1.5 steps behind Front side line
30A	8	Side 2: 2.0 steps outside 50 yd In	4.0 steps behind Front side line
31	12	On 50 yd In	4.0 steps behind Front side line
32	16	Side 2: 2.0 steps outside 45 yd In	4.0 steps behind Front side line
32A	10	Side 2: On 40 yd In	4.0 steps behind Front side line
33	18	Side 2: 2.0 steps outside 45 yd In	4.0 steps behind Front side line
34	12	Side 2: 2.0 steps inside 35 yd In	4.0 steps behind Front side line
35	12	Side 2: 2.0 steps inside 35 yd In	12.0 steps behind Front side line
36	12	Side 2: 2.0 steps inside 35 yd In	8.0 steps in front of Front Hash (HS)
36A	8	Side 2: On 40 yd In	8.0 steps in front of Front Hash (HS)
37	8	Side 2: On 45 yd In	12.0 steps in front of Front Hash (HS)
38	8	Side 2: On 40 yd In	12.0 steps behind Front side line
39	28	Side 2: On 40 yd In	12.0 steps behind Front side line
40	16	Side 2: On 40 yd In	12.0 steps behind Front side line
41	8	Side 2: On 40 yd In	8.0 steps in front of Front Hash (HS)

Performer: (unnamed) Symbol: R Label: 1 ID:2 Wasatch 2023 Parts 4&5 **Set** 28 Counts Side 1-Side 2 0 Side 1: On 45 yd In Front-Back 4.0 steps behind Front side line 29 30 16 Side 2: 4.0 steps outside 50 yd In Side 2: On 45 yd In 12.0 steps behind Front side line 14.0 steps behind Front side line 14.0 steps behind Front side line 12.0 steps in front of Front Hash (HS) 12.0 steps in front of Front Hash (HS) 30A 31 Side 2: On 45 yd In Side 2: 4.0 steps outside 45 yd In Side 2: 2.0 steps outside 45 yd In 32 32A Side 2: On 35 yd In Side 2: 4.0 steps outside 40 yd In 9.0 steps in front of Front Hash (HS) 6.0 steps in front of Front Hash (HS) 10 33 34 35 12 Side 2: On 45 yd In Side 1: 4.0 steps inside 45 yd In 6.0 steps in front of Front Hash (HS) 6.0 steps in front of Front Hash (HS) 12 36 36A Side 1: On 40 yd In Side 1: 4.0 steps inside 35 yd In 6.0 steps in front of Front Hash (HS) 10.0 steps in front of Front Hash (HS) 37 38 Side 1: 3.25 steps inside 35 yd In Side 1: 3.25 steps inside 40 yd In 11.5 steps in front of Front Hash (HS) 12.5 steps behind Front side line 8 Side 1: 3.25 steps inside 40 yd In 39 40 12.5 steps behind Front side line 12.5 steps behind Front side line 16 7.5 steps in front of Front Hash (HS)

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 1 of 50

Printed: Mon, Jul 31, 2023 at 2:33 PM

Page 2 of 50

Perfor	mer: (un	named) Symbol: T Label: 1 ID:6	Wasatch 2023 Parts 4&5
Set	Count	ts Side 1-Side 2	Front-Back
28	0	Side 1: 4.0 steps inside 45 yd In	4.0 steps behind Front side line
29	16	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
30	8	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
30A	8	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
31	12	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
32	16	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
32A	10	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
33	18	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
34	12	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
35	12	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
36	12	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
36A	8	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
37	8	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
38	8	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
39	28	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
40	16	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line
41	8	Side 2: 2.0 steps outside 45 yd In	2.0 steps in front of Front side line

Perfor	mer: (un	named) Symbol: T Label: 4 ID:9	Wasatch 2023 Parts 4&5
Set	Count	tsSide 1-Side 2	Front-Back
28	0	On 50 yd In	4.0 steps behind Front side line
29	16	Side 2: On 45 yd In	12.0 steps behind Front side line
30	8	Side 2: 4.0 steps outside 45 yd In	14.0 steps behind Front side line
30A	8	Side 2: 4.0 steps outside 45 yd In	14.0 steps behind Front side line
31	12	Side 2: On 40 yd In	8.0 steps in front of Front Hash (HS)
32	16	Side 2: 2.0 steps outside 45 yd In	8.0 steps in front of Front Hash (HS)
32A	10	Side 2: On 30 yd In	4.0 steps in front of Front Hash (HS)
33	18	Side 2: On 35 yd In	6.0 steps in front of Front Hash (HS)
34	12	Side 2: 4.0 steps outside 45 yd In	6.0 steps in front of Front Hash (HS)
35	12	On 50 yd In	6.0 steps in front of Front Hash (HS)
36	12	Side 1: 4.0 steps inside 40 yd In	6.0 steps in front of Front Hash (HS)
36A	8	Side 1: 4.0 steps inside 35 yd In	14.0 steps behind Front side line
37	8	Side 1: 3.75 steps outside 40 yd In	11.5 steps behind Front side line
38	8	Side 1: 3.75 steps outside 45 yd In	7.5 steps behind Front side line
39	28	Side 1: 3.75 steps outside 45 yd In	7.5 steps behind Front side line
40	16	Side 1: 3.75 steps outside 45 yd In	7.5 steps behind Front side line
41	8	Side 1: 3.75 steps outside 45 vd In	12.75 steps in front of Front Hash (HS)

Perfor	mer: (uni	named) Symbol: T Label: 3 ID:8	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 4.0 steps outside 50 yd In	4.0 steps behind Front side line
29	16	Side 2: On 45 yd In	12.0 steps in front of Front Hash (HS)
30	8	Side 2: 1.0 steps outside 45 yd In	10.0 steps in front of Front Hash (HS)
30A	8	Side 2: 1.0 steps outside 45 yd In	10.0 steps in front of Front Hash (HS)
31	12	Side 2: On 45 yd In	8.0 steps in front of Front Hash (HS)
32	16	Side 2: 2.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)
32A	10	Side 2: On 40 yd In	4.0 steps in front of Front Hash (HS)
33	18	Side 2: 2.0 steps outside 40 yd In	4.0 steps in front of Front Hash (HS)
34	12	Side 2: 2.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
35	12	Side 1: 2.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
36	12	Side 1: 2.0 steps outside 40 yd In	4.0 steps in front of Front Hash (HS)
36A	8	Side 1: On 40 yd In	4.0 steps in front of Front Hash (HS)
37	8	Side 1: On 45 yd In	12.0 steps in front of Front Hash (HS)
38	8	On 50 yd In	12.0 steps behind Front side line
39	28	On 50 yd In	12.0 steps behind Front side line
40	16	On 50 yd In	12.0 steps behind Front side line
41	8	On 50 yd In	8.0 steps in front of Front Hash (HS)

Performer: (unnamed) Symbol: T Label: 2 ID:7 Wasatch 2023 Parts 4&5 **Set** 28 Counts Side 1-Side 2 Front-Back Side 2: 4.0 steps outside 45 yd In 4.0 steps behind Front side line 29 30 16 Side 2: 4.0 steps outside 45 yd In Side 2: On 40 yd In 12.0 steps behind Front side line 14.0 steps behind Front side line 14.0 steps behind Front side line
4.0 steps in front of Front Hash (HS)
4.0 steps in front of Front Hash (HS) 30A 31 Side 2: On 40 yd In Side 2: 4.0 steps outside 40 yd In 32 32A Side 2: 2.0 steps outside 45 yd In Side 2: On 35 yd In Side 2: 2.0 steps inside 35 yd In 1.0 steps behind Front Hash (HS) 4.0 steps in front of Front Hash (HS) 10 33 34 35 Side 2: 2.0 steps outside 45 yd In Side 1: 2.0 steps outside 50 yd In 4.0 steps in front of Front Hash (HS) 4.0 steps in front of Front Hash (HS) 12 36 36A Side 1: 2.0 steps inside 40 yd In Side 1: On 40 yd In 4.0 steps in front of Front Hash (HS) 8.0 steps in front of Front Hash (HS) 37 38 Side 1: 3.75 steps inside 40 yd In Side 1: 3.75 steps inside 45 yd In 12.25 steps in front of Front Hash (HS) 11.75 steps behind Front side line 8 Side 1: 3.75 steps inside 45 yd In 39 40 11.75 steps behind Front side line 11.75 steps behind Front side line 16 8.25 steps in front of Front Hash (HS)

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 5 of 50

Printed: Mon, Jul 31, 2023 at 2:33 PM

Page 6 of 50

Perfor	mer: (unı	named) Symbol: T Label: 5 ID:10	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: On 40 yd In	4.0 steps behind Front side line
29	16	Side 2: 4.0 steps outside 45 yd In	8.0 steps behind Front side line
30	8	Side 2: 2.5 steps outside 40 yd In	10.0 steps behind Front side line
30A	8	Side 2: 2.5 steps outside 40 yd In	10.0 steps behind Front side line
31	12	Side 2: On 35 yd In	8.0 steps in front of Front Hash (HS)
32	16	Side 2: 2.0 steps outside 40 yd In	8.0 steps in front of Front Hash (HS)
32A	10	Side 2: On 25 yd In	1.0 steps behind Front Hash (HS)
33	18	Side 2: 2.0 steps outside 35 yd In	4.0 steps in front of Front Hash (HS)
34	12	Side 2: 2.0 steps inside 40 yd In	4.0 steps in front of Front Hash (HS)
35	12	Side 2: 2.0 steps outside 50 yd In	4.0 steps in front of Front Hash (HS)
36	12	Side 1: 2.0 steps outside 45 yd In	4.0 steps in front of Front Hash (HS)
36A	8	Side 1: On 40 yd In	12.0 steps in front of Front Hash (HS)
37	8	Side 1: 0.25 steps outside 40 yd In	13.75 steps in front of Front Hash (HS)
38	8	Side 1: 0.25 steps outside 45 yd In	10.25 steps behind Front side line
39	28	Side 1: 0.25 steps outside 45 yd In	10.25 steps behind Front side line
40	16	Side 1: 0.25 steps outside 45 yd In	10.25 steps behind Front side line
41	8	Side 1: 0.25 steps outside 45 yd In	9.75 steps in front of Front Hash (HS)

Perfor	mer: (unı	named) Symbol: R Label: 2 ID:3	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 1: 2.0 steps inside 45 yd In	8.0 steps behind Front side line
29	16	Side 2: 4.0 steps outside 50 yd In	12.0 steps in front of Front Hash (HS)
30	8	Side 2: 2.75 steps inside 45 yd In	10.0 steps in front of Front Hash (HS)
30A	8	Side 2: 2.75 steps inside 45 yd In	10.0 steps in front of Front Hash (HS)
31	12	Side 2: 4.0 steps outside 50 yd In	12.0 steps in front of Front Hash (HS)
32	16	Side 2: 2.0 steps outside 50 yd In	12.0 steps in front of Front Hash (HS)
32A	10	Side 2: On 45 yd In	9.0 steps in front of Front Hash (HS)
33	18	Side 2: On 40 yd In	6.0 steps in front of Front Hash (HS)
34	12	Side 2: 4.0 steps outside 50 yd In	6.0 steps in front of Front Hash (HS)
35	12	Side 1: On 45 yd In	6.0 steps in front of Front Hash (HS)
36	12	Side 1: 4.0 steps inside 35 yd In	6.0 steps in front of Front Hash (HS)
36A	8	Side 1: 4.0 steps inside 35 yd In	6.0 steps in front of Front Hash (HS)
37	8	Side 1: 0.5 steps outside 40 yd In	9.25 steps in front of Front Hash (HS)
38	8	Side 1: 0.5 steps outside 45 yd In	13.25 steps in front of Front Hash (HS)
39	28	Side 1: 0.5 steps outside 45 yd In	13.25 steps in front of Front Hash (HS)
40	16	Side 1: 0.5 steps outside 45 yd In	13.25 steps in front of Front Hash (HS)
41	8	Side 1: 0.5 steps outside 45 yd In	5.25 steps in front of Front Hash (HS)

Perfor	mer: (uni	named) Symbol: R Label: 3 ID:4	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 1: 2.0 steps outside 50 yd In	8.0 steps behind Front side line
29	16	Side 2: 4.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)
30	8	Side 2: 2.75 steps outside 50 yd In	6.0 steps in front of Front Hash (HS)
30A	8	Side 2: 2.75 steps outside 50 yd In	6.0 steps in front of Front Hash (HS)
31	12	Side 1: 4.0 steps inside 45 yd In	12.0 steps in front of Front Hash (HS)
32	16	Side 1: 2.0 steps inside 45 yd In	12.0 steps in front of Front Hash (HS)
32A	10	Side 1: On 45 yd In	9.0 steps in front of Front Hash (HS)
33	18	Side 1: On 45 yd In	2.0 steps in front of Front Hash (HS)
34	12	Side 1: 4.0 steps inside 35 yd In	2.0 steps in front of Front Hash (HS)
35	12	Side 1: 4.0 steps inside 35 yd In	14.0 steps behind Front side line
36	12	Side 1: 4.0 steps inside 35 yd In	2.0 steps behind Front side line
36A	8	Side 1: 4.0 steps inside 35 yd In	10.0 steps behind Front side line
37	8	Side 1: 0.25 steps outside 35 yd In	13.25 steps behind Front side line
38	8	Side 1: 0.25 steps outside 40 yd In	9.25 steps behind Front side line
39	28	Side 1: 0.25 steps outside 40 yd In	9.25 steps behind Front side line
40	16	Side 1: 0.25 steps outside 40 yd In	9.25 steps behind Front side line
41	8	Side 1: 0.25 steps outside 40 yd In	10.75 steps in front of Front Hash (HS)

Performer: (unnamed) Symbol: R Label: 4 ID:5 Wasatch 2023 Parts 4&5 **Set** 28 Counts Side 1-Side 2 0 Side 2: 2.0 steps outside 50 yd In Front-Back 8.0 steps behind Front side line 16 29 30 Side 2: 4.0 steps outside 50 yd In 4.0 steps in front of Front Hash (HS) 2.0 steps in front of Front Hash (HS) On 50 yd In On 50 yd In Side 1: 4.0 steps inside 40 yd In Side 1: 2.0 steps inside 40 yd In 30A 31 2.0 steps in front of Front Hash (HS) 12.0 steps in front of Front Hash (HS) 32 32A 12.0 steps in front of Front Hash (HS) Side 1: On 35 yd In Side 1: On 40 yd In 9.0 steps in front of Front Hash (HS) 2.0 steps in front of Front Hash (HS) 10 33 34 35 Side 1: 4.0 steps inside 30 yd In Side 1: 4.0 steps inside 35 yd In 2.0 steps in front of Front Hash (HS)14.0 steps behind Front side line 36 36A 2.0 steps behind Front side line 2.0 steps behind Front side line 37 38 Side 1: On 35 yd In Side 1: On 40 yd In 4.0 steps behind Front side line On Front side line 8 39 40 28 Side 1: On 40 yd In 16 Side 1: On 40 yd In On Front side line On Front side line Side 1: On 40 yd In 8.0 steps behind Front side line

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 9 of 50

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 10 of 50

Wasatch 2023 Parts 4&5

Perfor	mer: (unn	amed)	Symbol: B	Label: (unlabeled)	ID:2	20	Wasatch 2023 Parts 4&5
Set	Counts	Side	1-Side 2			Front-Back	
28	0	Side	2: 2.0 steps	inside 45 yd In		8.0 steps behind Front side	line
29	16	Side	2: On 45 yd	In		4.0 steps in front of Front H	ash (HS)
30	8	Side	2: 4.0 steps	outside 50 yd In		2.0 steps in front of Front H	ash (HS)
30A	8	Side	2: 4.0 steps	outside 50 yd In		2.0 steps in front of Front H	ash (HS)
31	12	Side	1: On 45 yd	In		8.0 steps in front of Front H	ash (HS)
32	16	Side	1: 2.0 steps	inside 40 yd In		8.0 steps in front of Front H	ash (HS)
32A	10	Side	1: On 40 yd	In		4.0 steps in front of Front H	ash (HS)
33	18	Side	1: 4.0 steps	inside 40 yd In		2.0 steps in front of Front Ha	ash (HS)
34	12	Side	1: On 35 yd	In		2.0 steps in front of Front H	ash (HS)
35	12	Side	1: On 35 yd	In		14.0 steps behind Front sid	e line
36	12	Side	1: On 35 yd	In		2.0 steps behind Front side	line
36A	8	Side	1: 4.0 steps	inside 35 yd In		6.0 steps behind Front side	line
37	8	Side	1: 1.75 step	s inside 35 yd In		8.0 steps behind Front side	line
38	8	Side	1: 1.75 step	s inside 40 yd In		4.0 steps behind Front side	line
39	28	Side	1: 1.75 step	s inside 40 yd In		4.0 steps behind Front side	line
40	16	Side	1: 1.75 step	s inside 40 yd In		4.0 steps behind Front side	line
41	8	Side	1: 1.75 step	s inside 40 yd In		12.0 steps behind Front sid	e line

Set	Count	tsSide 1-Side 2	Front-Back
28	0	Side 2: 2.0 steps outside 45 yd In	8.0 steps behind Front side line
29	16	Side 2: 4.0 steps outside 45 yd In	4.0 steps in front of Front Hash (HS)
30	8	Side 2: On 45 yd In	2.0 steps in front of Front Hash (HS)
30A	8	Side 2: On 45 yd In	2.0 steps in front of Front Hash (HS)
31	12	Side 1: 4.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
32	16	Side 1: 2.0 steps inside 40 yd In	4.0 steps in front of Front Hash (HS)
32A	10	Side 1: On 35 yd In	1.0 steps behind Front Hash (HS)
33	18	Side 1: 2.0 steps inside 40 yd In	On Front Hash (HS)
34	12	Side 1: 2.0 steps outside 35 yd In	On Front Hash (HS)
35	12	Side 1: 2.0 steps outside 35 yd In	12.0 steps in front of Front Hash (HS)
36	12	Side 1: 2.0 steps outside 35 yd In	4.0 steps behind Front side line
36A	8	Side 1: On 35 yd In	On Front side line
37	8	Side 1: 3.0 steps inside 30 yd In	On Front side line
38	8	Side 1: 3.0 steps inside 35 yd In	4.0 steps in front of Front side line
39	28	Side 1: 3.0 steps inside 35 yd In	4.0 steps in front of Front side line
40	16	Side 1: 3.0 steps inside 35 yd In	4.0 steps in front of Front side line
41	8	Side 1: 3.0 steps inside 35 yd In	4.0 steps behind Front side line

Performer: (unnamed) Symbol: U Label: 1 ID:17

Perfor	mer: (uni	named) Symbol: U Label: 2 ID:18	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 2.0 steps inside 40 yd In	8.0 steps behind Front side line
29	16	Side 2: 4.0 steps outside 45 yd In	8.0 steps in front of Front Hash (HS)
30	8	Side 2: 2.75 steps outside 45 yd In	6.0 steps in front of Front Hash (HS)
30A	8	Side 2: 2.75 steps outside 45 yd In	6.0 steps in front of Front Hash (HS)
31	12	Side 2: 4.0 steps outside 50 yd In	4.0 steps in front of Front Hash (HS)
32	16	Side 1: 2.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
32A	10	Side 1: On 45 yd In	1.0 steps behind Front Hash (HS)
33	18	Side 1: 2.0 steps outside 45 yd In	On Front Hash (HS)
34	12	Side 1: 2.0 steps inside 35 vd In	On Front Hash (HS)
35	12	Side 1: 2.0 steps inside 35 yd In	12.0 steps in front of Front Hash (HS)
36	12	Side 1: 2.0 steps inside 35 vd In	4.0 steps behind Front side line
36A	8	Side 1: On 35 yd In	4.0 steps behind Front side line
37	8	Side 1: 3.5 steps inside 30 vd In	4.75 steps behind Front side line
38	8	Side 1: 3.5 steps inside 35 yd In	0.75 steps behind Front side line
39	28	Side 1: 3.5 steps inside 35 vd In	0.75 steps behind Front side line
40	16	Side 1: 3.5 steps inside 35 yd In	0.75 steps behind Front side line
41	8	Side 1: 3.5 steps inside 35 yd In	8.75 steps behind Front side line

Perfor	mer: (unı	named) Symbol: U Label: 3 ID:19	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 2.0 steps outside 40 yd In	8.0 steps behind Front side line
29	16	Side 2: 4.0 steps outside 45 yd In	12.0 steps in front of Front Hash (HS)
30	8	Side 2: 2.75 steps inside 40 yd In	10.0 steps in front of Front Hash (HS)
30A	8	Side 2: 2.75 steps inside 40 yd In	10.0 steps in front of Front Hash (HS)
31	12	Side 2: 4.0 steps outside 45 yd In	4.0 steps in front of Front Hash (HS)
32	16	Side 2: 2.0 steps outside 50 yd In	4.0 steps in front of Front Hash (HS)
32A	10	Side 2: On 45 yd In	1.0 steps behind Front Hash (HS)
33	18	Side 1: 2.0 steps inside 45 yd In	On Front Hash (HS)
34	12	Side 1: 2.0 steps outside 40 yd In	On Front Hash (HS)
35	12	Side 1: 2.0 steps outside 40 yd In	12.0 steps in front of Front Hash (HS)
36	12	Side 1: 2.0 steps outside 40 vd In	4.0 steps behind Front side line
36A	8	Side 1: On 35 yd In	8.0 steps behind Front side line
37	8	Side 1: 3.0 steps outside 35 yd In	9.25 steps behind Front side line
38	8	Side 1: 3.0 steps outside 40 yd In	5.25 steps behind Front side line
39	28	Side 1: 3.0 steps outside 40 yd In	5.25 steps behind Front side line
40	16	Side 1: 3.0 steps outside 40 yd In	5.25 steps behind Front side line
41	8	Side 1: 3.0 steps outside 40 yd In	13.25 steps behind Front side line

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 13 of 50

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 14 of 50

Perfor	mer: (unı	named) Symbol: S Label: 1 ID:35	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 1: 3.0 steps inside 40 yd In	3.0 steps in front of Front Hash (HS)
29	16	Side 1: On 40 yd In	12.0 steps behind Front Hash (HS)
30	8	Side 1: On 40 yd In	12.0 steps behind Front Hash (HS)
30A	8	Side 1: 3.0 steps outside 45 yd In	10.0 steps behind Front Hash (HS)
31	12	On 50 yd In	On Front Hash (HS)
32	16	Side 2: 4.0 steps outside 50 yd In	8.0 steps behind Front Hash (HS)
32A	10	Side 1: 2.0 steps outside 50 yd In	6.0 steps behind Front Hash (HS)
33	18	Side 2: On 45 yd In	6.0 steps behind Front Hash (HS)
34	12	Side 2: 4.0 steps outside 40 yd In	6.0 steps behind Front Hash (HS)
35	12	Side 2: On 45 yd In	6.0 steps behind Front Hash (HS)
36	12	Side 2: 2.0 steps inside 45 yd In	12.0 steps in front of Back Hash (HS)
36A	8	Side 2: 2.0 steps inside 45 yd In	8.0 steps behind Front Hash (HS)
37	8	Side 2: 2.0 steps inside 45 yd In	On Front Hash (HS)
38	8	Side 2: 2.0 steps inside 45 yd In	8.0 steps in front of Front Hash (HS)
39	28	Side 2: 2.0 steps inside 45 yd In	8.0 steps in front of Front Hash (HS)
40	16	Side 2: 2.0 steps inside 45 yd In	8.0 steps in front of Front Hash (HS)
41	8	Side 2: 2.0 steps inside 45 yd In	On Front Hash (HS)

Performer: (unnamed) Symbol: S Label: 2 ID:36			Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 1: 3.75 steps outside 45 yd In	1.5 steps in front of Front Hash (HS)
29	16	Side 1: 4.0 steps inside 40 yd In	12.0 steps behind Front Hash (HS)
30	8	Side 1: 4.0 steps inside 40 yd In	12.0 steps behind Front Hash (HS)
30A	8	Side 1: 0.25 steps outside 45 yd In	12.0 steps behind Front Hash (HS)
31	12	On 50 yd In	6.0 steps behind Front Hash (HS)
32	16	Side 1: 4.0 steps inside 45 yd In	8.0 steps behind Front Hash (HS)
32A	10	Side 1: 2.0 steps outside 45 yd In	6.0 steps behind Front Hash (HS)
33	18	Side 2: 4.0 steps outside 50 yd In	6.0 steps behind Front Hash (HS)
34	12	Side 2: On 40 yd In	6.0 steps behind Front Hash (HS)
35	12	Side 2: 4.0 steps outside 50 yd In	6.0 steps behind Front Hash (HS)
36	12	Side 2: 4.0 steps outside 50 yd In	12.0 steps in front of Back Hash (HS)
36A	8	Side 2: 4.0 steps outside 50 yd In	8.0 steps behind Front Hash (HS)
37	8	Side 2: 4.0 steps outside 50 yd In	On Front Hash (HS)
38	8	Side 2: 4.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)
39	28	Side 2: 4.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)
40	16	Side 2: 4.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)
41	8	Side 2: 4.0 steps outside 50 yd In	On Front Hash (HS)

Perfor	mer: (uni	named) Symbol: S Label: 3 ID:37	Wasatch 2023 Parts 4&5
Set	Count	ts Side 1-Side 2	Front-Back
28	0	Side 1: 2.5 steps outside 45 yd In	On Front Hash (HS)
29	16	Side 1: On 45 yd In	12.0 steps behind Front Hash (HS)
30	8	Side 1: On 45 yd In	12.0 steps behind Front Hash (HS)
30A	8	Side 1: 2.5 steps inside 45 yd In	14.0 steps in front of Back Hash (HS)
31	12	On 50 yd In	12.0 steps behind Front Hash (HS)
32	16	On 50 yd In	12.0 steps behind Front Hash (HS)
32A	10	Side 1: 2.0 steps inside 45 yd In	10.0 steps behind Front Hash (HS)
33	18	On 50 yd In	6.0 steps behind Front Hash (HS)
34	12	Side 2: 4.0 steps outside 45 yd In	6.0 steps behind Front Hash (HS)
35	12	On 50 yd In	6.0 steps behind Front Hash (HS)
36	12	Side 2: 2.0 steps outside 50 yd In	12.0 steps in front of Back Hash (HS)
36A	8	Side 2: 2.0 steps outside 50 yd In	8.0 steps behind Front Hash (HS)
37	8	Side 2: 2.0 steps outside 50 yd In	On Front Hash (HS)
38	8	Side 2: 2.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)
39	28	Side 2: 2.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)
40	16	Side 2: 2.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)
41	8	Side 2: 2.0 steps outside 50 yd In	On Front Hash (HS)

Performer: (unnamed) Symbol: Q Label: 1 ID:38 Wasatch 2023 Parts 4&5 **Set** 28 Counts Side 1-Side 2 0 Side 1: 0.25 steps inside 45 yd In Front-Back 3.0 steps behind Front Hash (HS) 16 29 30 Side 1: 4.0 steps inside 45 yd In Side 1: 4.0 steps inside 45 yd In 12.0 steps behind Front Hash (HS) 12.0 steps behind Front Hash (HS) 30A 31 Side 1: 2.75 steps outside 50 yd In 12.0 steps in front of Back Hash (HS) 10.0 steps in front of Back Hash (HS) On 50 yd In 32 32A Side 2: 4.0 steps outside 50 yd In 12.0 steps in front of Back Hash (HS) Side 1: 2.0 steps outside 50 yd In Side 2: 2.0 steps outside 50 yd In 14.0 steps in front of Back Hash (HS) 8.0 steps behind Front Hash (HS) 10 33 34 35 Side 2: 2.0 steps inside 40 yd In Side 2: 2.0 steps outside 50 yd In 8.0 steps behind Front Hash (HS) 8.0 steps behind Front Hash (HS) 36 36A Side 1: 2.0 steps outside 50 yd In Side 1: 2.0 steps outside 50 yd In 12.0 steps in front of Back Hash (HS) 8.0 steps behind Front Hash (HS) 37 38 Side 1: 2.0 steps outside 50 yd In Side 1: 2.0 steps outside 50 yd In On Front Hash (HS) 8.0 steps in front of Front Hash (HS) 39 40 Side 1: 2.0 steps outside 50 yd In Side 1: 2.0 steps outside 50 yd In 8.0 steps in front of Front Hash (HS) 8.0 steps in front of Front Hash (HS) 16 Side 1: 2.0 steps outside 50 yd In On Front Hash (HS)

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 17 of 50

Printed: Mon, Jul 31, 2023 at 2:33 PM

Page 18 of 50

Perfor	mer: (un	named) Symbol: Q Label: 2 ID:39	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 1: 3.5 steps inside 45 yd In	5.5 steps behind Front Hash (HS)
29	16	On 50 yd In	12.0 steps behind Front Hash (HS)
30	8	On 50 yd In	12.0 steps behind Front Hash (HS)
30A	8	On 50 yd In	10.0 steps in front of Back Hash (HS)
31	12	On 50 yd In	4.0 steps in front of Back Hash (HS)
32	16	Side 1: 4.0 steps inside 45 yd In	12.0 steps in front of Back Hash (HS)
32A	10	Side 1: 2.0 steps outside 45 yd In	14.0 steps in front of Back Hash (HS)
33	18	Side 1: 2.0 steps outside 50 yd In	8.0 steps behind Front Hash (HS)
34	12	Side 2: 2.0 steps outside 45 yd In	8.0 steps behind Front Hash (HS)
35	12	Side 1: 2.0 steps outside 50 yd In	8.0 steps behind Front Hash (HS)
36	12	Side 1: 2.0 steps inside 45 yd In	12.0 steps in front of Back Hash (HS)
36A	8	Side 1: 2.0 steps inside 45 yd In	8.0 steps behind Front Hash (HS)
37	8	Side 1: 2.0 steps inside 45 yd In	On Front Hash (HS)
38	8	Side 1: 2.0 steps inside 45 yd In	8.0 steps in front of Front Hash (HS)
39	28	Side 1: 2.0 steps inside 45 yd In	8.0 steps in front of Front Hash (HS)
40	16	Side 1: 2.0 steps inside 45 yd In	8.0 steps in front of Front Hash (HS)
41	8	Side 1: 2.0 steps inside 45 yd In	On Front Hash (HS)

Perfor	mer: (unı	named) Symbol: D Label: 1 ID:31	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 1: 1.0 steps outside 50 yd In	7.5 steps behind Front Hash (HS)
29	16	Side 2: 4.0 steps outside 50 yd In	12.0 steps behind Front Hash (HS)
30	8	Side 2: 4.0 steps outside 50 yd In	12.0 steps behind Front Hash (HS)
30A	8	Side 2: 3.0 steps outside 50 yd In	12.0 steps in front of Back Hash (HS)
31	12	On 50 yd In	7.0 steps in front of Back Hash (HS)
32	16	On 50 yd In	12.0 steps in front of Back Hash (HS)
32A	10	Side 2: 2.0 steps inside 45 yd In	12.0 steps in front of Back Hash (HS)
33	18	On 50 yd In	10.0 steps behind Front Hash (HS)
34	12	Side 2: 4.0 steps outside 45 yd In	10.0 steps behind Front Hash (HS)
35	12	On 50 yd In	10.0 steps behind Front Hash (HS)
36	12	Side 2: 2.0 steps outside 45 yd In	12.0 steps in front of Back Hash (HS)
36A	8	Side 2: 2.0 steps outside 50 yd In	10.0 steps behind Front Hash (HS)
37	8	Side 1: 2.0 steps inside 45 yd In	4.0 steps behind Front Hash (HS)
38	8	Side 1: 2.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
39	28	Side 1: 2.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
40	16	Side 1: 2.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
41	8	Side 1: 2.0 steps inside 45 yd In	4.0 steps behind Front Hash (HS)

Perfor	mer: (uni	named) Symbol: D Label: 2 ID:32	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 2.5 steps outside 50 yd In	9.25 steps behind Front Hash (HS)
29	16	Side 2: On 45 yd In	12.0 steps behind Front Hash (HS)
30	8	Side 2: On 45 yd In	12.0 steps behind Front Hash (HS)
30A	8	Side 2: 2.25 steps inside 45 yd In	14.0 steps in front of Back Hash (HS)
31	12	On 50 yd In	13.0 steps in front of Back Hash (HS)
32	16	Side 2: 4.0 steps outside 50 yd In	12.0 steps behind Front Hash (HS)
32A	10	Side 2: 2.0 steps outside 45 yd In	12.0 steps behind Front Hash (HS)
33	18	Side 2: 4.0 steps outside 50 yd In	10.0 steps behind Front Hash (HS)
34	12	Side 2: On 40 yd In	10.0 steps behind Front Hash (HS)
35	12	Side 2: 4.0 steps outside 50 yd In	10.0 steps behind Front Hash (HS)
36	12	Side 2: 3.0 steps inside 40 vd In	13.0 steps behind Front Hash (HS)
36A	8	Side 2: 2.5 steps inside 45 yd In	8.5 steps behind Front Hash (HS)
37	8	Side 1: 2.0 steps outside 50 yd In	4.0 steps behind Front Hash (HS)
38	8	Side 1: 2.0 steps outside 50 yd In	4.0 steps in front of Front Hash (HS)
39	28	Side 1: 2.0 steps outside 50 yd In	4.0 steps in front of Front Hash (HS)
40	16	Side 1: 2.0 steps outside 50 yd In	4.0 steps in front of Front Hash (HS)
41	8	Side 1: 2.0 steps outside 50 yd In	4.0 steps behind Front Hash (HS)

Performer: (unnamed) Symbol: D Label: 3 ID:33 Wasatch 2023 Parts 4&5 **Set** 28 Counts Side 1-Side 2 0 Side 2: 1.75 steps inside 45 yd In Front-Back 10.5 steps behind Front Hash (HS) 29 30 16 Side 2: 4.0 steps outside 45 yd In Side 2: 4.0 steps outside 45 yd In 12.0 steps behind Front Hash (HS) 12.0 steps behind Front Hash (HS) 30A 31 32 32A 33 34 35 Side 2: 0.25 steps outside 45 yd In 12.0 steps behind Front Hash (HS) On 50 yd In Side 1: 4.0 steps inside 45 yd In Side 2: 2.0 steps outside 50 yd In Side 2: On 45 yd In 9.0 steps behind Front Hash (HS) 12.0 steps behind Front Hash (HS) 12.0 steps behind Front Hash (HS) 10.0 steps behind Front Hash (HS) 10 12 Side 2: 4.0 steps outside 40 yd In Side 2: On 45 yd In 10.0 steps behind Front Hash (HS) 10.0 steps behind Front Hash (HS) 12 36 36A Side 2: On 40 yd In Side 2: 1.0 steps outside 45 yd In 10.0 steps behind Front Hash (HS) 7.0 steps behind Front Hash (HS) 37 38 Side 2: 2.0 steps outside 50 yd In Side 2: 2.0 steps outside 50 yd In 4.0 steps behind Front Hash (HS)
4.0 steps in front of Front Hash (HS) 8 39 40 Side 2: 2.0 steps outside 50 yd In Side 2: 2.0 steps outside 50 yd In 4.0 steps in front of Front Hash (HS) 4.0 steps in front of Front Hash (HS) 16 Side 2: 2.0 steps outside 50 yd In 4.0 steps behind Front Hash (HS)

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 21 of 50

Printed: Mon, Jul 31, 2023 at 2:33 PM

Page 22 of 50

Perfor	mer: (uni	named) Symbol: D Label: 4 ID:34	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 2.25 steps outside 45 yd In	11.5 steps behind Front Hash (HS)
29	16	Side 2: On 40 yd In	12.0 steps behind Front Hash (HS)
30	8	Side 2: On 40 yd In	12.0 steps behind Front Hash (HS)
30A	8	Side 2: 3.0 steps outside 45 yd In	10.0 steps behind Front Hash (HS)
31	12	On 50 yd In	3.0 steps behind Front Hash (HS)
32	16	On 50 yd In	8.0 steps behind Front Hash (HS)
32A	10	Side 2: 2.0 steps inside 45 yd In	8.0 steps behind Front Hash (HS)
33	18	Side 2: 2.0 steps inside 45 yd In	8.0 steps behind Front Hash (HS)
34	12	Side 2: 2.0 steps outside 40 yd In	8.0 steps behind Front Hash (HS)
35	12	Side 2: 2.0 steps inside 45 yd In	8.0 steps behind Front Hash (HS)
36	12	Side 2: 3.0 steps outside 40 yd In	7.0 steps behind Front Hash (HS)
36A	8	Side 2: 3.5 steps inside 40 yd In	5.5 steps behind Front Hash (HS)
37	8	Side 2: 2.0 steps inside 45 yd In	4.0 steps behind Front Hash (HS)
38	8	Side 2: 2.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
39	28	Side 2: 2.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
40	16	Side 2: 2.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
41	8	Side 2: 2.0 steps inside 45 yd In	4.0 steps behind Front Hash (HS)

Perfor	mer: (un	named) Symbol: G Label: 10 ID:50	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: On 45 yd In	7.0 steps in front of Front Hash (HS)
29	16	Side 2: 1.0 steps outside 40 yd In	On Front Hash (HS)
30	8	Side 2: 1.0 steps outside 40 yd In	On Front Hash (HS)
30A	8	Side 2: 2.0 steps inside 35 yd In	2.0 steps behind Front Hash (HS)
31	12	Side 2: On 25 yd In	5.0 steps behind Front Hash (HS)
32	16	Side 2: 4.0 steps outside 25 yd In	12.0 steps in front of Front Hash (HS)
32A	10	Side 2: 4.0 steps outside 35 yd In	10.0 steps in front of Front Hash (HS)
33	18	Side 2: On 40 yd In	12.0 steps behind Front side line
34	12	Side 2: On 45 yd In	12.0 steps behind Front side line
35	12	Side 2: On 45 yd In	4.0 steps behind Front side line
36	12	Side 2: 4.0 steps outside 40 yd In	4.0 steps behind Front side line
36A	8	Side 2: On 35 yd In	10.0 steps behind Front side line
37	8	Side 2: On 35 yd In	12.5 steps in front of Front Hash (HS)
38	8	Side 2: 1.75 steps outside 30 yd In	13.75 steps behind Front side line
39	28	Side 2: 1.75 steps outside 30 yd In	13.75 steps behind Front side line
40	16	Side 2: 1.75 steps outside 30 yd In	13.75 steps behind Front side line
41	8	Side 2: 1.75 steps outside 30 yd In	6.25 steps in front of Front Hash (HS)

Perfor	mer: (uni	named) Symbol: G Label: 9 ID:49	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	On 50 yd In	14.0 steps behind Front side line
29	16	Side 2: On 45 yd In	2.0 steps behind Front Hash (HS)
30	8	Side 2: On 45 yd In	2.0 steps behind Front Hash (HS)
30A	8	Side 2: On 40 yd In	6.0 steps behind Front Hash (HS)
31	12	Side 2: 4.0 steps outside 35 yd In	13.0 steps behind Front Hash (HS)
32	16	Side 2: 4.0 steps outside 40 yd In	4.0 steps behind Front Hash (HS)
32A	10	Side 2: 4.0 steps outside 45 yd In	10.0 steps in front of Front Hash (HS)
33	18	On 50 yd In	12.0 steps behind Front side line
34	12	Side 1: On 45 yd In	12.0 steps behind Front side line
35	12	Side 1: On 45 yd In	4.0 steps behind Front side line
36	12	Side 2: 4.0 steps outside 50 yd In	4.0 steps behind Front side line
36A	8	Side 2: 2.0 steps inside 45 yd In	10.0 steps behind Front side line
37	8	Side 2: 3.25 steps inside 40 yd In	8.0 steps behind Front side line
38	8	Side 2: 1.75 steps inside 35 yd In	4.75 steps behind Front side line
39	28	Side 2: 1.75 steps inside 35 yd In	4.75 steps behind Front side line
40	16	Side 2: 1.75 steps inside 35 yd In	4.75 steps behind Front side line
41	8	Side 2: 1.75 steps inside 35 yd In	12.75 steps behind Front side line

Performer: (unnamed) Symbol: G Label: 7 ID:47 Wasatch 2023 Parts 4&5 **Set** 28 Counts Side 1-Side 2 0 Side 2: On 40 yd In Front-Back 14.0 steps behind Front side line 16 29 30 Side 2: 2.0 steps inside 35 yd In Side 2: 2.0 steps inside 35 yd In 8.0 steps in front of Front Hash (HS) 8.0 steps in front of Front Hash (HS) Side 2: 4.0 steps outside 35 yd In Side 2: 0n 20 yd In Side 2: On 15 yd In 30A 31 2.0 steps in front of Front Hash (HS) 7.0 steps in front of Front Hash (HS) 8.0 steps in front of Tont Hash (IS) 8.0 steps behind Front side line 12.0 steps behind Front side line 10.0 steps in front of Front Hash (HS) 32 32A Side 2: 4.0 steps outside 30 yd In Side 2: On 35 yd In 10 33 34 35 Side 2: On 35 yd In Side 2: On 30 yd In 12.0 steps behind Front side line 11.0 steps behind Front side line 12.0 steps in front of Front Hash (HS)
On Front Hash (HS)
0.75 steps behind Front Hash (HS)
2.0 steps in front of Front Hash (HS) 36 36A Side 2: 4.0 steps outside 35 yd In Side 2: 2.0 steps outside 35 yd In 37 38 Side 2: 0.75 steps inside 35 yd In Side 2: 0.5 steps inside 35 yd In 8 39 40 28 Side 2: 0.5 steps inside 35 yd ln 16 Side 2: 0.5 steps inside 35 yd ln 2.0 steps in front of Front Hash (HS) 2.0 steps in front of Front Hash (HS) Side 2: 0.5 steps inside 35 yd In 6.0 steps behind Front Hash (HS)

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 25 of 50

Printed: Mon, Jul 31, 2023 at 2:33 PM

.....

Page 26 of 50

Perfor	mer: (un	named) Symbol: F Label: 1 ID:15	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 1: 3.0 steps inside 40 yd In	2.0 steps in front of Front side line
29	16	Side 2: 3.5 steps inside 45 yd In	2.0 steps behind Front side line
30	8	Side 2: 3.5 steps inside 45 yd In	2.0 steps behind Front side line
30A	8	Side 1: On 40 yd In	4.0 steps behind Front side line
31	12	Side 1: On 40 yd In	4.0 steps behind Front side line
32	16	Side 1: 2.0 steps inside 45 yd In	4.0 steps behind Front side line
32A	10	Side 1: On 40 yd In	4.0 steps behind Front side line
33	18	Side 1: 2.0 steps inside 35 yd In	4.0 steps behind Front side line
34	12	Side 1: 2.0 steps outside 45 yd In	4.0 steps behind Front side line
35	12	Side 2: 2.0 steps outside 50 yd In	4.0 steps behind Front side line
36	12	Side 2: 2.0 steps inside 40 yd In	4.0 steps behind Front side line
36A	8	Side 2: On 40 yd In	8.0 steps behind Front side line
37	8	Side 2: On 40 yd In	12.0 steps in front of Front Hash (HS)
38	8	Side 2: On 35 yd In	12.0 steps behind Front side line
39	28	Side 2: On 35 yd In	12.0 steps behind Front side line
40	16	Side 2: On 35 yd In	12.0 steps behind Front side line
41	8	Side 2: On 35 yd In	8.0 steps in front of Front Hash (HS)

eriori	ner. (un	named) Symbol: G Label: 1 ID:45	Wasatch 2023 Parts 4&5
Set	Count	ts Side 1-Side 2	Front-Back
28	0	Side 2: 2.0 steps inside 40 yd In	7.0 steps behind Front Hash (HS)
29	16	Side 2: 4.0 steps outside 40 yd In	12.0 steps behind Front Hash (HS)
30	8	Side 2: 4.0 steps outside 40 yd In	12.0 steps behind Front Hash (HS)
30A	8	Side 2: 4.0 steps outside 35 yd In	13.0 steps behind Front Hash (HS)
31	12	Side 2: 4.0 steps outside 35 yd In	10.0 steps behind Front Hash (HS)
32	16	Side 2: On 30 yd In	4.0 steps in front of Front Hash (HS)
32A	10	Side 2: 4.0 steps outside 40 yd In	12.0 steps behind Front side line
33	18	Side 2: On 45 yd In	10.0 steps in front of Front Hash (HS)
34	12	Side 2: On 40 yd In	10.0 steps in front of Front Hash (HS)
35	12	Side 2: On 35 yd In	10.0 steps in front of Front Hash (HS)
36	12	Side 2: 4.0 steps outside 45 yd In	12.0 steps in front of Front Hash (HS)
36A	8	Side 2: 2.0 steps outside 45 yd In	On Front Hash (HS)
37	8	Side 2: 4.0 steps outside 45 yd In	8.0 steps behind Front Hash (HS)
38	8	Side 2: 3.25 steps outside 45 yd In	4.25 steps behind Front Hash (HS)
39	28	Side 2: 3.25 steps outside 45 yd In	4.25 steps behind Front Hash (HS)
40	16	Side 2: 3.25 steps outside 45 yd In	4.25 steps behind Front Hash (HS)
41	8	Side 2: 3.25 steps outside 45 yd In	12.25 steps behind Front Hash (HS)

Perfor	mer: (uni	named) Symbol: G Label: 2 ID:43	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 2.0 steps inside 45 yd In	3.75 steps behind Front Hash (HS)
29	16	Side 2: 2.0 steps inside 45 yd In	8.0 steps in front of Back Hash (HS)
30	8	Side 2: 2.0 steps inside 45 yd In	8.0 steps in front of Back Hash (HS)
30A	8	Side 2: 2.0 steps inside 40 yd In	7.0 steps in front of Back Hash (HS)
31	12	Side 2: 2.0 steps inside 40 yd In	10.0 steps in front of Back Hash (HS)
32	16	Side 2: On 45 yd In	12.0 steps behind Front Hash (HS)
32A	10	Side 2: 4.0 steps outside 50 yd In	12.0 steps behind Front side line
33	18	Side 1: On 45 yd In	10.0 steps in front of Front Hash (HS)
34	12	On 50 yd In	10.0 steps in front of Front Hash (HS)
35	12	Side 2: On 45 yd In	10.0 steps in front of Front Hash (HS)
36	12	Side 1: 4.0 steps inside 45 yd In	12.0 steps in front of Front Hash (HS)
36A	8	Side 1: 2.0 steps inside 45 yd In	On Front Hash (HS)
37	8	Side 1: 4.0 steps inside 40 yd In	8.0 steps behind Front Hash (HS)
38	8	Side 1: 3.0 steps outside 50 yd In	4.25 steps behind Front Hash (HS)
39	28	Side 1: 3.0 steps outside 50 yd In	4.25 steps behind Front Hash (HS)
40	16	Side 1: 3.0 steps outside 50 yd In	4.25 steps behind Front Hash (HS)
41	8	Side 1: 3.0 steps outside 50 yd In	12.25 steps behind Front Hash (HS)

Performer: (unnamed) Symbol: G Label: 5 ID:40 Wasatch 2023 Parts 4&5 **Set** 28 Counts Side 1-Side 2 Front-Back 0.75 steps in front of Front Hash (HS) Side 1: 1.5 steps outside 50 yd In 29 30 16 Side 1: 2.0 steps inside 45 yd In Side 1: 2.0 steps inside 45 yd In 8.0 steps in front of Back Hash (HS) 8.0 steps in front of Back Hash (HS) 7.0 steps in front of Back Hash (HS)
10.0 steps in front of Back Hash (HS) 30A 31 Side 1: 2.0 steps inside 40 yd In Side 1: 2.0 steps inside 40 yd In 32 32A Side 1: On 45 yd In 12.0 steps behind Front Hash (HS) Side 1: 4.0 steps inside 45 yd In Side 1: On 40 yd In 10.0 steps in front of Front Hash (HS) 12.0 steps behind Front side line 10 33 34 35 12 Side 1: On 35 yd In Side 1: On 35 yd In 12.0 steps behind Front side line 4.0 steps behind Front side line 36 36A Side 1: 4.0 steps inside 40 yd In Side 1: 2.0 steps outside 45 yd In 4.0 steps behind Front side line 10.0 steps behind Front side line 37 38 Side 1: 0.5 steps outside 50 yd In Side 2: 1.0 steps outside 45 yd In 4.25 steps behind Front side line 3.5 steps behind Front side line 39 40 Side 2: 1.0 steps outside 45 yd In Side 2: 1.0 steps outside 45 yd In 3.5 steps behind Front side line 3.5 steps behind Front side line 16 Side 2: 1.0 steps outside 45 yd In 11.5 steps behind Front side line

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 29 of 50

Wasatch 2023 Parts 4&5

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 30 of 50

	•	, ,	
Set	Count	tsSide 1-Side 2	Front-Back
28	0	Side 1: 0.25 steps outside 45 yd In	6.25 steps in front of Front Hash (HS)
29	16	Side 1: 4.0 steps inside 35 yd In	12.0 steps behind Front Hash (HS)
30	8	Side 1: 4.0 steps inside 35 yd In	12.0 steps behind Front Hash (HS)
30A	8	Side 1: 4.0 steps inside 30 yd In	13.0 steps behind Front Hash (HS)
31	12	Side 1: 4.0 steps inside 30 yd In	10.0 steps behind Front Hash (HS)
32	16	Side 1: 4.0 steps inside 35 yd In	4.0 steps behind Front Hash (HS)
32A	10	Side 1: 4.0 steps inside 40 yd In	12.0 steps behind Front side line
33	18	Side 1: On 35 yd In	10.0 steps in front of Front Hash (HS)
34	12	Side 1: On 40 yd In	10.0 steps in front of Front Hash (HS)
35	12	Side 1: On 45 yd In	10.0 steps in front of Front Hash (HS)
36	12	Side 1: 4.0 steps inside 35 yd In	12.0 steps in front of Front Hash (HS)
36A	8	Side 1: 2.0 steps outside 45 yd In	12.0 steps in front of Front Hash (HS)
37	8	Side 1: 2.0 steps inside 40 yd In	6.0 steps behind Front side line
38	8	Side 1: 3.75 steps inside 45 yd In	5.75 steps behind Front side line
39	28	Side 1: 3.75 steps inside 45 yd In	5.75 steps behind Front side line
40	16	Side 1: 3.75 steps inside 45 yd In	5.75 steps behind Front side line
41	8	Side 1: 3.75 steps inside 45 yd In	13.75 steps behind Front side line

Performer: (unnamed) Symbol: G Label: 4 ID:41

Perfori	ner: (un	named) Symbol: G Label: 6 ID:46	Wasatch 2023 Parts 4&5
Set	Count	ts Side 1-Side 2	Front-Back
28	0	Side 1: 2.0 steps inside 40 yd In	12.75 steps in front of Front Hash (HS)
29	16	Side 1: On 30 yd In	4.0 steps behind Front Hash (HS)
30	8	Side 1: On 30 yd In	4.0 steps behind Front Hash (HS)
30A	8	Side 1: On 25 yd In	5.0 steps behind Front Hash (HS)
31	12	Side 1: On 25 yd In	2.0 steps behind Front Hash (HS)
32	16	Side 1: On 30 yd In	4.0 steps in front of Front Hash (HS)
32A	10	Side 1: 4.0 steps inside 35 yd In	10.0 steps in front of Front Hash (HS)
33	18	Side 1: On 30 yd In	12.0 steps behind Front side line
34	12	Side 1: On 25 yd In	12.0 steps behind Front side line
35	12	Side 1: On 25 yd In	4.0 steps behind Front side line
36	12	Side 1: 4.0 steps inside 25 yd In	4.0 steps behind Front side line
36A	8	Side 1: 2.0 steps outside 25 yd In	4.0 steps behind Front side line
37	8	Side 1: 2.0 steps outside 25 yd In	4.0 steps behind Front side line
38	8	Side 1: On 30 yd In	4.0 steps behind Front side line
39	28	Side 1: On 30 yd In	4.0 steps behind Front side line
40	16	Side 1: On 30 yd In	4.0 steps behind Front side line
41	8	Side 1: On 30 yd In	12.0 steps behind Front side line

Perfor	mer: (uni	named) Symbol: G Label: 3 ID:42	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 1: 2.5 steps outside 40 yd In	8.0 steps behind Front side line
29	16	Side 1: On 25 yd In	8.0 steps in front of Front Hash (HS)
30	8	Side 1: On 25 yd In	8.0 steps in front of Front Hash (HS)
30A	8	Side 1: 1.0 steps inside 20 yd In	7.0 steps in front of Front Hash (HS)
31	12	Side 1: 4.0 steps inside 20 yd In	12.0 steps in front of Front Hash (HS)
32	16	Side 1: 4.0 steps inside 20 yd In	12.0 steps in front of Front Hash (HS)
32A	10	Side 1: 4.0 steps inside 30 yd In	12.0 steps behind Front side line
33	18	Side 1: On 25 yd In	10.0 steps in front of Front Hash (HS)
34	12	Side 1: On 30 yd In	10.0 steps in front of Front Hash (HS)
35	12	Side 1: On 30 yd In	2.0 steps in front of Front Hash (HS)
36	12	Side 1: 4.0 steps inside 25 yd In	12.0 steps in front of Front Hash (HS)
36A	8	Side 1: 2.0 steps outside 35 yd In	12.0 steps in front of Front Hash (HS)
37	8	Side 1: 0.75 steps outside 35 yd In	On Front Hash (HS)
38	8	Side 1: 0.25 steps inside 40 yd In	1.75 steps in front of Front Hash (HS)
39	28	Side 1: 0.25 steps inside 40 yd In	1.75 steps in front of Front Hash (HS)
40	16	Side 1: 0.25 steps inside 40 yd In	1.75 steps in front of Front Hash (HS)
41	8	Side 1: 0.25 steps inside 40 yd In	6.25 steps behind Front Hash (HS)

Performer: (unnamed) Symbol: G Label: 8 ID:48 Wasatch 2023 Parts 4&5 **Set** 28 Counts Side 1-Side 2 0 Side 1: 2.0 steps inside 35 yd In Front-Back On Front side line 29 30 16 Side 1: On 20 yd In Side 1: On 20 yd In 8.0 steps behind Front side line 8.0 steps behind Front side line 30A 31 Side 1: 1.0 steps outside 20 yd In 7.0 steps in front of Front Hash (HS) 12.0 steps in front of Front Hash (HS) Side 1: 4.0 steps inside 15 yd In 32 32A Side 1: On 15 yd In 8.0 steps behind Front side line 10.0 steps in front of Front Hash (HS)
12.0 steps behind Front side line Side 1: 4.0 steps inside 25 yd In Side 1: On 20 yd In 10 33 34 35 12 Side 1: On 20 yd In Side 1: On 25 yd In 10.0 steps in front of Front Hash (HS) 10.0 steps in front of Front Hash (HS) 36 36A Side 1: 4.0 steps inside 15 yd In Side 1: 2.0 steps outside 25 yd In 12.0 steps in front of Front Hash (HS) 12.0 steps in front of Front Hash (HS) 37 38 Side 1: 3.0 steps outside 30 yd In Side 1: 2.25 steps outside 35 yd In 10.75 steps in front of Front Hash (HS) 11.25 steps in front of Front Hash (HS) Side 1: 2.25 steps outside 35 yd In 39 40 11.25 steps in front of Front Hash (HS) 11.25 steps in front of Front Hash (HS) 16 3.25 steps in front of Front Hash (HS)

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 33 of 50

Printed: Mon, Jul 31, 2023 at 2:33 PM

Perfor	mer: (uni	named) Symbol: E Label: 1 ID:12	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 2.0 steps inside 35 yd In	8.0 steps behind Front side line
29	16	Side 2: 4.0 steps outside 45 yd In	2.0 steps behind Front side line
30	8	Side 2: 4.0 steps outside 45 yd In	2.0 steps behind Front side line
30A	8	Side 2: On 40 yd In	2.0 steps behind Front side line
31	12	Side 2: On 45 yd In	4.0 steps behind Front side line
32	16	Side 2: 2.0 steps outside 40 yd In	4.0 steps behind Front side line
32A	10	Side 2: On 30 yd In	4.0 steps behind Front side line
33	18	Side 2: 2.0 steps inside 30 yd In	12.0 steps behind Front side line
34	12	Side 2: 2.0 steps inside 30 yd In	4.0 steps in front of Front Hash (HS)
35	12	Side 2: 2.0 steps outside 40 yd In	4.0 steps in front of Front Hash (HS)
36	12	Side 2: 2.0 steps inside 45 yd In	6.0 steps in front of Front Hash (HS)
36A	8	Side 2: 4.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)
37	8	Side 1: 4.0 steps inside 45 yd In	12.0 steps in front of Front Hash (HS)
38	8	Side 2: 4.0 steps outside 50 yd In	12.0 steps behind Front side line
39	28	Side 2: 4.0 steps outside 50 yd In	12.0 steps behind Front side line
40	16	Side 2: 4.0 steps outside 50 yd In	12.0 steps behind Front side line
41	8	Side 2: 4.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)

Perfor	mer: (uni	named) Symbol: A Label: 1 ID:14	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 2.0 steps inside 35 yd In	12.0 steps behind Front side line
29	16	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
30	8	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
30A	8	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
31	12	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
32	16	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
32A	10	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
33	18	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
34	12	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
35	12	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
36	12	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
36A	8	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
37	8	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
38	8	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
39	28	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
40	16	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line
41	8	Side 2: 2.0 steps inside 40 yd In	2.0 steps in front of Front side line

Page 36 of 50

Page 34 of 50

Perfor	mer: (uni	named) Symbol: E Label: 3 ID:16	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 2.0 steps inside 35 yd In	12.0 steps in front of Front Hash (HS)
29	16	Side 2: 0.75 steps inside 40 yd In	3.5 steps behind Front side line
30	8	Side 2: 0.75 steps inside 40 yd In	3.5 steps behind Front side line
30A	8	Side 2: On 40 yd In	6.0 steps behind Front side line
31	12	Side 2: On 45 yd In	12.0 steps behind Front side line
32	16	Side 2: 2.0 steps outside 45 yd In	12.0 steps behind Front side line
32A	10	Side 2: On 40 yd In	14.0 steps behind Front side line
33	18	Side 2: 4.0 steps outside 35 yd In	12.0 steps behind Front side line
34	12	Side 2: 4.0 steps outside 35 yd In	4.0 steps in front of Front Hash (HS)
35	12	Side 2: On 40 yd In	4.0 steps in front of Front Hash (HS)
36	12	Side 2: 4.0 steps outside 50 vd In	6.0 steps in front of Front Hash (HS)
36A	8	On 50 yd In	8.0 steps in front of Front Hash (HS)
37	8	Side 1: On 45 yd In	8.0 steps in front of Front Hash (HS)
38	8	On 50 yd In	12.0 steps in front of Front Hash (HS)
39	28	On 50 yd In	12.0 steps in front of Front Hash (HS)
40	16	On 50 yd In	12.0 steps in front of Front Hash (HS)
41	8	On 50 yd In	4.0 steps in front of Front Hash (HS)

Perfor	mer: (unı	named) Symbol: A Label: 2 ID:13	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 2.0 steps inside 35 yd In	8.0 steps in front of Front Hash (HS)
29	16	Side 2: 2.25 steps outside 40 yd In	5.75 steps behind Front side line
30	8	Side 2: 2.25 steps outside 40 yd In	5.75 steps behind Front side line
30A	8	Side 2: 2.0 steps outside 40 yd In	4.0 steps behind Front side line
31	12	Side 2: 4.0 steps outside 45 yd In	8.0 steps behind Front side line
32	16	Side 2: 2.0 steps outside 40 yd In	8.0 steps behind Front side line
32A	10	Side 2: On 25 yd In	9.0 steps behind Front side line
33	18	Side 2: On 30 yd In	12.0 steps behind Front side line
34	12	Side 2: On 30 yd In	4.0 steps in front of Front Hash (HS)
35	12	Side 2: 4.0 steps outside 40 yd In	4.0 steps in front of Front Hash (HS)
36	12	Side 2: On 45 yd In	6.0 steps in front of Front Hash (HS)
36A	8	Side 2: On 45 yd In	8.0 steps in front of Front Hash (HS)
37	8	On 50 yd In	12.0 steps in front of Front Hash (HS)
38	8	Side 2: On 45 yd In	12.0 steps behind Front side line
39	28	Side 2: On 45 yd In	12.0 steps behind Front side line
40	16	Side 2: On 45 yd In	12.0 steps behind Front side line
41	8	Side 2: On 45 yd In	8.0 steps in front of Front Hash (HS)

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 37 of 50

Wasatch 2023 Parts 4&5

Printed: Mon, Jul 31, 2023 at 2:33 PM

Page 38 of 50

Set	Count	ts Side 1-Side 2	Front-Back
28	0	Side 2: 2.0 steps inside 35 yd In	4.0 steps in front of Front Hash (HS)
29	16	Side 2: 3.5 steps inside 35 yd In	8.5 steps behind Front side line
30	8	Side 2: 3.5 steps inside 35 yd In	8.5 steps behind Front side line
30A	8	Side 2: 4.0 steps outside 40 yd In	2.0 steps behind Front side line
31	12	Side 2: On 40 yd In	12.0 steps behind Front side line
32	16	Side 2: 2.0 steps outside 40 yd In	12.0 steps behind Front side line
32A	10	Side 2: On 30 yd In	14.0 steps behind Front side line
33	18	Side 2: 3.0 steps inside 30 yd In	14.0 steps behind Front side line
34	12	Side 2: 3.0 steps inside 30 yd In	2.0 steps in front of Front Hash (HS)
35	12	Side 2: 1.0 steps outside 40 yd In	2.0 steps in front of Front Hash (HS)
36	12	Side 2: 3.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)
36A	8	Side 2: 4.0 steps outside 50 yd In	4.0 steps in front of Front Hash (HS)
37	8	Side 1: 4.0 steps inside 45 yd In	8.0 steps in front of Front Hash (HS)
38	8	Side 2: 4.0 steps outside 50 yd In	12.0 steps in front of Front Hash (HS)
39	28	Side 2: 4.0 steps outside 50 yd In	12.0 steps in front of Front Hash (HS)
40	16	Side 2: 4.0 steps outside 50 yd In	12.0 steps in front of Front Hash (HS)
41	8	Side 2: 4.0 steps outside 50 yd In	4.0 steps in front of Front Hash (HS)

Performer: (unnamed) Symbol: O Label: (unlabeled) ID:1

eriori	mer: (un	named) Symbol: F Label: 4 ID:24	Wasatch 2023 Parts 4&
Set	Count	ts Side 1-Side 2	Front-Back
28	0	Side 1: 2.0 steps outside 45 yd In	8.0 steps behind Front side line
29	16	Side 2: 1.25 steps outside 50 yd In	3.25 steps behind Front side line
30	8	Side 2: 1.25 steps outside 50 yd In	3.25 steps behind Front side line
30A	8	Side 1: 4.0 steps inside 35 yd In	4.0 steps behind Front side line
31	12	Side 1: On 35 yd In	4.0 steps behind Front side line
32	16	Side 1: 2.0 steps inside 40 yd In	4.0 steps behind Front side line
32A	10	Side 1: On 30 yd In	4.0 steps behind Front side line
33	18	Side 1: 2.0 steps outside 35 yd In	4.0 steps behind Front side line
34	12	Side 1: 2.0 steps inside 40 yd In	4.0 steps behind Front side line
35	12	Side 1: 2.0 steps outside 50 yd In	4.0 steps behind Front side line
36	12	Side 2: 2.0 steps outside 45 yd In	4.0 steps behind Front side line
36A	8	Side 2: 4.0 steps outside 45 yd In	8.0 steps behind Front side line
37	8	Side 2: 4.0 steps outside 45 yd In	12.0 steps in front of Front Hash (HS)
38	8	Side 2: 4.0 steps outside 40 yd In	12.0 steps behind Front side line
39	28	Side 2: 4.0 steps outside 40 yd In	12.0 steps behind Front side line
40	16	Side 2: 4.0 steps outside 40 yd In	12.0 steps behind Front side line
41	8	Side 2: 4.0 steps outside 40 yd In	8.0 steps in front of Front Hash (HS)

Perfor	mer: (uni	named) Symbol: F Label: 5 ID:23	Wasatch 2023 Parts 4&5
Set	Count	sSide 1-Side 2	Front-Back
28	0	Side 1: On 45 yd In	12.0 steps behind Front side line
29	16	Side 1: 1.75 steps outside 50 yd In	5.5 steps behind Front side line
30	8	Side 1: 1.75 steps outside 50 yd In	5.5 steps behind Front side line
30A	8	Side 1: 2.0 steps outside 40 yd In	6.0 steps behind Front side line
31	12	Side 1: 4.0 steps inside 40 yd In	8.0 steps behind Front side line
32	16	Side 1: 2.0 steps inside 45 yd In	8.0 steps behind Front side line
32A	10	Side 1: On 45 yd In	9.0 steps behind Front side line
33	18	Side 1: 3.0 steps inside 35 yd In	6.0 steps behind Front side line
34	12	Side 1: 1.0 steps outside 45 yd In	6.0 steps behind Front side line
35	12	Side 2: 3.0 steps outside 50 yd In	6.0 steps behind Front side line
36	12	Side 2: 1.0 steps inside 40 vd In	6.0 steps behind Front side line
36A	8	Side 2: 4.0 steps outside 40 yd In	12.0 steps behind Front side line
37	8	Side 2: 4.0 steps outside 40 yd In	12.0 steps in front of Front Hash (HS)
38	8	Side 2: 4.0 steps outside 35 yd In	12.0 steps behind Front side line
39	28	Side 2: 4.0 steps outside 35 yd In	12.0 steps behind Front side line
40	16	Side 2: 4.0 steps outside 35 yd In	12.0 steps behind Front side line
41	8	Side 2: 4.0 steps outside 35 yd In	8.0 steps in front of Front Hash (HS)

Performer: (unnamed) Symbol: F Label: 6 ID:22 Wasatch 2023 Parts 4&5 **Set** 28 Counts Side 1-Side 2 0 Side 1: 2.5 steps inside 45 yd In Front-Back 12.25 steps in front of Front Hash (HS) 29 30 16 Side 1: 3.75 steps inside 45 yd In Side 1: 3.75 steps inside 45 yd In 8.25 steps behind Front side line 8.25 steps behind Front side line 30A 31 32 32A 33 34 35 Side 1: 2.0 steps inside 35 yd In 6.0 steps behind Front side line 8.0 steps behind Front side line Side 1: 4.0 steps inside 35 yd In Side 1: 2.0 steps inside 40 yd In 8.0 steps behind Front side line Side 1: On 35 yd In Side 1: On 35 yd In 9.0 steps behind Front side line 4.0 steps behind Front side line 10 Side 1: 4.0 steps inside 40 yd In On 50 yd In Side 2: 4.0 steps outside 45 yd In Side 2: 4.0 steps outside 45 yd In Side 2: On 45 yd In 12 4.0 steps behind Front side line 4.0 steps behind Front side line 36 36A 4.0 steps behind Front side line 1.0 steps in front of Front side line 37 38 Side 2: On 45 yd In Side 2: On 45 yd In 1.0 steps in front of Front side line 1.0 steps in front of Front side line 8 39 40 28 Side 2: On 45 yd In 16 Side 2: On 45 yd In 1.0 steps in front of Front side line 1.0 steps in front of Front side line Side 2: On 45 yd In 1.0 steps in front of Front side line

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 41 of 50

Printed: Mon, Jul 31, 2023 at 2:33 PM

Page 42 of 50

Perfor	mer: (unı	named) Symbol: F Label: 2 ID:30	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 1: 2.75 steps outside 50 yd In	8.75 steps in front of Front Hash (HS)
29	16	Side 1: 2.25 steps inside 45 yd In	11.75 steps behind Front side line
30	8	Side 1: 2.25 steps inside 45 yd In	11.75 steps behind Front side line
30A	8	Side 1: 4.0 steps inside 35 yd In	8.0 steps behind Front side line
31	12	Side 1: On 45 yd In	12.0 steps behind Front side line
32	16	Side 1: 2.0 steps inside 45 yd In	12.0 steps behind Front side line
32A	10	Side 1: On 40 yd In	14.0 steps behind Front side line
33	18	Side 1: 1.0 steps inside 35 yd In	6.0 steps behind Front side line
34	12	Side 1: 3.0 steps outside 45 yd In	6.0 steps behind Front side line
35	12	Side 2: 1.0 steps outside 50 yd In	6.0 steps behind Front side line
36	12	Side 2: 3.0 steps inside 40 yd In	6.0 steps behind Front side line
36A	8	Side 2: On 40 yd In	12.0 steps behind Front side line
37	8	Side 2: 4.0 steps outside 40 yd In	8.0 steps in front of Front Hash (HS)
38	8	Side 2: 4.0 steps outside 35 yd In	12.0 steps in front of Front Hash (HS)
39	28	Side 2: 4.0 steps outside 35 yd In	12.0 steps in front of Front Hash (HS)
40	16	Side 2: 4.0 steps outside 35 yd In	12.0 steps in front of Front Hash (HS)
41	8	Side 2: 4.0 steps outside 35 yd In	4.0 steps in front of Front Hash (HS)

Perfor	mer: (un	named) Symbol: F Label: 3 ID:25	Wasatch 2023 Parts 4&5
Set	Count	ts Side 1-Side 2	Front-Back
28	0	Side 2: 0.75 steps outside 50 yd In	6.0 steps in front of Front Hash (HS)
29	16	Side 1: 1.75 steps inside 45 yd In	12.75 steps in front of Front Hash (HS)
30	8	Side 1: 1.75 steps inside 45 yd In	12.75 steps in front of Front Hash (HS)
30A	8	Side 1: On 35 yd In	8.0 steps behind Front side line
31	12	Side 1: On 40 yd In	12.0 steps behind Front side line
32	16	Side 1: 2.0 steps inside 40 yd In	12.0 steps behind Front side line
32A	10	Side 1: On 30 yd In	14.0 steps behind Front side line
33	18	Side 1: 1.0 steps outside 35 yd In	6.0 steps behind Front side line
34	12	Side 1: 3.0 steps inside 40 yd In	6.0 steps behind Front side line
35	12	Side 1: 1.0 steps outside 50 yd In	6.0 steps behind Front side line
36	12	Side 2: 3.0 steps outside 45 yd In	6.0 steps behind Front side line
36A	8	Side 2: 4.0 steps outside 45 yd In	12.0 steps behind Front side line
37	8	Side 2: On 40 yd In	8.0 steps in front of Front Hash (HS)
38	8	Side 2: On 35 yd In	12.0 steps in front of Front Hash (HS)
39	28	Side 2: On 35 yd In	12.0 steps in front of Front Hash (HS)
40	16	Side 2: On 35 yd In	12.0 steps in front of Front Hash (HS)
41	8	Side 2: On 35 yd In	4.0 steps in front of Front Hash (HS)

Perfor	mer: (unı	named) Symbol: C Label: 2 ID:28	Wasatch 2023 Parts 4&5
Set	Count	s Side 1-Side 2	Front-Back
28	0	Side 2: 3.5 steps inside 45 yd In	3.5 steps in front of Front Hash (HS)
29	16	Side 1: 2.0 steps inside 45 yd In	9.0 steps in front of Front Hash (HS)
30	8	Side 1: 2.0 steps inside 45 yd In	9.0 steps in front of Front Hash (HS)
30A	8	Side 1: 2.0 steps outside 50 yd In	4.0 steps behind Front side line
31	12	Side 1: On 45 yd In	4.0 steps behind Front side line
32	16	Side 2: 2.0 steps outside 50 yd In	4.0 steps behind Front side line
32A	10	On 50 yd In	4.0 steps behind Front side line
33	18	Side 2: On 45 yd In	4.0 steps behind Front side line
34	12	Side 2: 4.0 steps outside 40 yd In	4.0 steps behind Front side line
35	12	Side 2: 4.0 steps outside 40 yd In	12.0 steps behind Front side line
36	12	Side 2: 4.0 steps outside 40 yd In	8.0 steps in front of Front Hash (HS)
36A	8	Side 2: 4.0 steps outside 45 yd In	8.0 steps in front of Front Hash (HS)
37	8	Side 2: 4.0 steps outside 50 yd In	12.0 steps in front of Front Hash (HS)
38	8	Side 2: 4.0 steps outside 45 yd In	12.0 steps behind Front side line
39	28	Side 2: 4.0 steps outside 45 yd In	12.0 steps behind Front side line
40	16	Side 2: 4.0 steps outside 45 yd In	12.0 steps behind Front side line
41	8	Side 2: 4.0 steps outside 45 yd In	8.0 steps in front of Front Hash (HS)

Performer: (unnamed) Symbol: C Label: 5 ID:21 Wasatch 2023 Parts 4&5 **Set** 28 Counts Side 1-Side 2 0 Side 2: 0.75 steps outside 45 yd In Front-Back 1.75 steps in front of Front Hash (HS) 16 29 30 Side 1: 3.25 steps inside 45 yd In Side 1: 3.25 steps inside 45 yd In 5.5 steps in front of Front Hash (HS) 5.5 steps in front of Front Hash (HS) On 50 yd In Side 1: 4.0 steps inside 45 yd In Side 2: 2.0 steps outside 50 yd In 30A 31 6.0 steps behind Front side line 8.0 steps behind Front side line 32 32A 8.0 steps behind Front side line Side 2: On 45 yd In Side 2: 3.0 steps outside 45 yd In 9.0 steps behind Front side line 6.0 steps behind Front side line 10 33 34 35 Side 2: 1.0 steps inside 35 yd In Side 2: On 40 yd In 6.0 steps behind Front side line 14.0 steps behind Front side line 36 36A 6.0 steps in front of Front Hash (HS) 4.0 steps in front of Front Hash (HS) 37 38 Side 2: On 45 yd In Side 2: On 40 yd In 8.0 steps in front of Front Hash (HS) 12.0 steps in front of Front Hash (HS) 8 39 40 28 Side 2: On 40 yd In 16 Side 2: On 40 yd In 12.0 steps in front of Front Hash (HS) 12.0 steps in front of Front Hash (HS) Side 2: On 40 yd In 4.0 steps in front of Front Hash (HS)

Printed: Mon, Jul 31, 2023 at 2:33 PM Page 45 of 50

Printed: Mon, Jul 31, 2023 at 2:33 PM

Page 46 of 50

Perfor	mer: (uni	named) Symbol: C Label: 3 ID:27	Wasatch 2023 Parts 4&5			
Set	Count	sSide 1-Side 2	Front-Back			
28	0	Side 2: 3.0 steps inside 40 yd In	0.5 steps in front of Front Hash (HS)			
29	16	Side 1: 2.75 steps outside 50 yd In	2.5 steps in front of Front Hash (HS)			
30	8	Side 1: 2.75 steps outside 50 yd In	2.5 steps in front of Front Hash (HS)			
30A	8	Side 1: 2.0 steps outside 50 yd In	8.0 steps behind Front side line			
31	12	On 50 yd In	12.0 steps behind Front side line			
32	16	Side 2: 2.0 steps outside 50 yd In	12.0 steps behind Front side line			
32A	10	On 50 yd In	14.0 steps behind Front side line			
33	18	Side 2: 1.0 steps outside 45 yd In	6.0 steps behind Front side line			
34	12	Side 2: 3.0 steps inside 35 yd In	6.0 steps behind Front side line			
35	12	Side 2: 3.0 steps inside 35 yd In	14.0 steps behind Front side line			
36	12	Side 2: 3.0 steps inside 35 yd In	6.0 steps in front of Front Hash (HS)			
36A	8	Side 2: 4.0 steps outside 45 yd In	4.0 steps in front of Front Hash (HS)			
37	8	Side 2: 4.0 steps outside 50 yd In	8.0 steps in front of Front Hash (HS)			
38	8	Side 2: 4.0 steps outside 45 yd In	12.0 steps in front of Front Hash (HS)			
39	28	Side 2: 4.0 steps outside 45 yd In	12.0 steps in front of Front Hash (HS)			
40	16	Side 2: 4.0 steps outside 45 yd In	12.0 steps in front of Front Hash (HS)			
41	8	Side 2: 4.0 steps outside 45 yd In	4.0 steps in front of Front Hash (HS)			

Perfor	mer: (un	named) Symbol: C Label: 1 ID:29	Wasatch 2023 Parts 4&5			
Set	Count	ts Side 1-Side 2	Front-Back			
28	0	Side 2: 1.5 steps outside 40 yd In	On Front Hash (HS)			
29	16	On 50 yd In	On Front Hash (HS)			
30	8	On 50 yd In	On Front Hash (HS)			
30A	8	Side 2: 2.0 steps outside 50 yd In	8.0 steps behind Front side line			
31	12	Side 2: 4.0 steps outside 50 yd In	8.0 steps behind Front side line			
32	16	Side 2: 2.0 steps outside 45 yd In	8.0 steps behind Front side line			
32A	10	Side 2: On 35 yd In	9.0 steps behind Front side line			
33	18	Side 2: 4.0 steps outside 45 yd In	4.0 steps behind Front side line			
34	12	Side 2: On 35 yd In	4.0 steps behind Front side line			
35	12	Side 2: On 35 yd In	12.0 steps behind Front side line			
36	12	Side 2: On 35 yd In	8.0 steps in front of Front Hash (HS)			
36A	8	Side 2: 4.0 steps outside 40 yd In	8.0 steps in front of Front Hash (HS)			
37	8	Side 2: 4.0 steps outside 45 yd In	8.0 steps in front of Front Hash (HS)			
38	8	Side 2: 4.0 steps outside 40 yd In	12.0 steps in front of Front Hash (HS)			
39	28	Side 2: 4.0 steps outside 40 yd In	12.0 steps in front of Front Hash (HS)			
40	16	Side 2: 4.0 steps outside 40 yd In	12.0 steps in front of Front Hash (HS)			
41	8	Side 2: 4.0 steps outside 40 yd In	4.0 steps in front of Front Hash (HS)			

Perfor	mer: (un	named) Symbol: E Label: 2 ID:11	Wasatch 2023 Parts 4&5	Perfo	rmer: (un	named) Symbol: T Label: 6 ID:51
Set	Count	s Side 1-Side 2	Front-Back	Set	Coun	ts Side 1-Side 2
28	0	Side 2: 2.0 steps inside 35 yd In	On Front Hash (HS)	28	0	Side 2: On 45 yd In
29	16	Side 2: 2.0 steps inside 35 yd In	12.0 steps behind Front side line	29	16	Side 2: On 45 yd In
30	8	Side 2: 2.0 steps inside 35 yd In	12.0 steps behind Front side line	30	8	Side 2: 1.25 steps inside 45 yd In
30A	8	Side 2: 4.0 steps outside 40 yd In	6.0 steps behind Front side line	30A	8	Side 2: 1.25 steps inside 45 yd In
31	12	Side 2: 4.0 steps outside 40 yd In	12.0 steps in front of Front Hash (HS)	31	12	On 50 yd In
32	16	Side 2: 2.0 steps outside 40 yd In	12.0 steps in front of Front Hash (HS)	32	16	Side 1: 2.0 steps inside 45 yd In
32A	10	Side 2: On 25 yd In	9.0 steps in front of Front Hash (HS)	32A	10	On 50 yd In
33	18	Side 2: 1.0 steps inside 30 yd In	14.0 steps behind Front side line	33	18	Side 2: 2.0 steps inside 40 yd In
34	12	Side 2: 1.0 steps inside 30 yd In	2.0 steps in front of Front Hash (HS)	34	12	Side 2: 2.0 steps outside 50 yd In
35	12	Side 2: 3.0 steps outside 40 yd In	2.0 steps in front of Front Hash (HS)	35	12	Side 1: 2.0 steps outside 45 yd In
36	12	Side 2: 1.0 steps inside 45 yd In	4.0 steps in front of Front Hash (HS)	36	12	Side 1: 2.0 steps inside 35 yd In
36A	8	Side 2: On 45 yd In	4.0 steps in front of Front Hash (HS)	36A	8	Side 1: 4.0 steps inside 35 yd In
37	8	On 50 yd In	8.0 steps in front of Front Hash (HS)	37	8	Side 1: 4.0 steps outside 45 yd In
38	8	Side 2: On 45 yd In	12.0 steps in front of Front Hash (HS)	38	8	Side 1: 4.0 steps outside 50 yd In
39	28	Side 2: On 45 yd In	12.0 steps in front of Front Hash (HS)	39	28	Side 1: 4.0 steps outside 50 yd In
40	16	Side 2: On 45 yd In	12.0 steps in front of Front Hash (HS)	40	16	Side 1: 4.0 steps outside 50 yd In
41	8	Side 2: On 45 yd In	4.0 steps in front of Front Hash (HS)	41	8	Side 1: 4.0 steps outside 50 yd In

Front-Back

4.0 steps behind Front side line
8.0 steps in front of Front Hash (HS)
6.0 steps in front of Front Hash (HS)
6.0 steps in front of Front Hash (HS)
8.0 steps in front of Front Hash (HS)
8.0 steps in front of Front Hash (HS)
4.0 steps in front of Front Hash (HS)
5.0 steps in front of Front Hash (HS)
1.0 steps in front of Front Hash (HS) side 45 yd In side 45 yd In de 45 yd In ide 40 yd In side 50 yd In side 45 yd In ide 35 yd In ide 35 yd In side 45 yd In side 50 yd In side 50 yd In side 50 yd In side 50 yd In

Wasatch 2023 Parts 4&5